


BLDG B - 1ST FLR
 15,000 SQR FT
 STUDS 16" O.C.



PHASE CHANGE MATERIAL SCHEDULE

| Tag | PCM-1 | PCM-2 | PCM-3 | PCM-4 | PCM-5 | PCM-6 |
|-------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Make | ENRG BLANKET | ENRG BLANKET | ENRG BLANKET | ENRG BLANKET | ENRG BLANKET | ENRG BLANKET |
| Model | Q23M27_24 | Q23M27_18.5 | Q23M27_14.5 | Q23M51_24 | Q23M51_18.5 | Q23M51_14.5 |
| MValue | 27 | 27 | 27 | 51 | 51 | 51 |
| PCM Area (Sqr Ft) | 2,426 | 4,415 | 4,965 | 0 | 4,781 | 4,243 |

PHASE CHANGE ENERGY SOLUTIONS - ENRG BLANKET, CLASS A, INSTALLED ABOVE T-GRID & HARD LID CEILINGS



HATCHED AREAS INDICATE PCM ABOVE CEILING

MODEL NUMBER NOMENCLATURE: Q##M##-###

Q##M##-###
 # OF BLANKETS, 8' LONG.
 # INDICATES INSTALLED ABOVE ROOM T-GRID CEILING

 WIDTH (IN)
 ENERGY CAPACITY (BTU/SQR FT)
 TEMPERATURE RATING (°C)

 PCM 'M-VALUE' (BTU/HR)

 PCM AREA (SQR FT) FOR ADJACENT ASSEMBLY

TEST ROOM B108 - SEE ARCH PLANS FOR INSTRUMENTATION ROUGH IN LOCATIONS

CUSTODIAN B111
 DAQ SYSTEM GATEWAY - ALL TEMP SENSORS TO HOME RUN TO THIS LOCATION



BLDG B, 2ND FLR
 13,390 SQR FT
 12" STUDS O.C. EXCEPT
 NORTH WALL



120 E. PRITCHARD ST.
 ASHEBORO, NC 27203
 1-336-629-3000
 WWW.PHASECHANGE.COM

